

transmedia®

news MÄRCH 2023


OUR HIGHLIGHTS IN MARCH ARE HERE

Marvel and tell others allowed!



FAST CHARGING LISTEN TO MUSIC CALL

QC3.0 & PD20W



SPECIAL FEATURE
USB TypeC
PD20W

MT 2 L

- + Music playback from USB drive and Bluetooth
- + First-class sound experience with bass sound effect
- + Fast charging with QC3.0 and PD20W
- + Notebook battery charging with TypeC

FM Transmitter + PD20W + QC3.0 Car Charger Bluetooth Handsfree Car Kit

Turn your car radio into a RadioSTAR!

It's so easy to upgrade your car and enjoy the benefits of a Bluetooth hands-free kit.

From now on, you can listen to music from a USB stick, talk to Siri / Google Assistant, make calls on the go and charge your mobile phone and laptop at the same time.

Because of Qualcomm and PD20W, this is super fast, of course without slowing down.

The PD20W charging function enables the MT 2 L to charge notebooks via USB TypeC cable.

This means that you also have a **universal power supply unit** for when you use on the road.

Bluetooth Version 5.0
dual charging ports: PD20W and QC3.0
Support USB Drive up to 64 GB
Frequency Range: 87,5 - 108 MHz

With RGB light color change
Support Siri / Google Assistant Function
With noise cancellation technology
Support Bass sound effect



Just ordered - and already shipped!

ON STOCK

fiber optic
high-quality multimode

10 Gbit/s
Data Transfer up to



SAFER DATA TRANSFER from A to B

Active USB 3.1 (Gen 2) AOC cable Backwards compatible with USB 2.0 USB A male - USB A female

The USB 3.1 active optic extension cable routes your data without loss and at SuperSpeed.

Simply extend your existing USB connection or design your office according to your individual ideas. With the additional length of up to 20 meters you achieve new possibilities important connect USB devices. Such as mobile hard drives, laptops, printers, etc.

- Lossfree signals over long distances
- Stylish plug design
- Thin cable, only Ø 4.8 mm
- The optical cable offers the highest quality

Cable complies with USB 3.1 Gen 2
Data transfer up to 10 Gbit/s
Thin cable, only Ø 4,8 mm

For USB 2.0 devices, an external 5V DC power supply unit would be required. Be connected via USB Micro B connector.

The cable is unidirectional:
USB A plug ==> Host
USB A socket ==> Device

C 506-3 ML	polybag	3 m
C 506-5 ML	polybag	5 m
C 506-10 ML	polybag	10 m
C 506-15 ML	polybag	15 m
C 506-20 ML	polybag	20 m



MAXTRACK®

Field-configurable Ideal for quick on-site assembly

Easy installation of your network cables, without any tools!

- ▶ For bandwidths of 2000 MHz at a length up to 30 m
- ▶ Meets ANSI/TIA-568-C.2-1 Cat.8.1 and ISO/IEC 11801-1, Ed.3
- ▶ Suitable for PoE plus (IEEE802.3at) applications

CAT 8

TI 60 QL Tool-less Cat.8 STP plug

Shielded

Supports 25G BASE-T and 40G BASE-T
For stranded and solid wires, AWG 22 - 26
Cable O.D. 6-9 mm




TI 61 QL Keystone Cat.8 STP jack

Shielded

With snap-in for mounting in Keystone ports (19,2 x 14,9 mm)
Supports 25G BASE-T and 40G BASE-T
For stranded and solid wires, AWG 22 - 26
Cable-Ø 6 - 8,5 mm

with snap-in



Connects what belongs together

Connection module for network cable

With the TI 62 QL + TI 63 QL cable connectors you can easily extend your already installed network cables without special tools.

Defective cables can also be reconnected in no time at all without having to lay a completely new cable. A small module with a big effect.


- ▶ For all rigid network cables AWG 26-22 and flexible network cables AWG 26-24
- ▶ Zinc die-cast housing
- ▶ Connects 2 network cables together, without special tools

*extend
&
repair*

TI 62 QL

Bandwidth up to 2 GHz
Cable O.D. max. 9 mm
Incl. 2 x cable ties

*with
bend protection sleeve*



CAT 8.1

TI 63 QL

Bandwidth up to 500 MHz
Cable O.D. max. 8,4 mm



CAT 6A

90° angle a brilliant solution

Angle connector CAT6A


Western 8/8-jack to Western 8/8-jack

The solution for already permanently installed network cables.

Easily extend your Cat cables from your PC or router with the TI 64 QL or TI 65 QL adapters. The 90° angled design makes it easier to lay and connect the cables, especially when space is limited.




- ▶ Angled version 90°
- ▶ Full shielded



TI 64 QL

1:1 connected

*with chip in holders
in panels*



TI 65 QL

1:1 connected

With chip in holders in panels
(19,2 x 14,5 cm), e.g.: Keystone