

MODERN NETWORKS STARTS HERE



Connection Module

Patch Cable

Angled Adapter for Tool-Less RJ-45 Connectors

WATCH OUT!

Take advantage of a **10% discount***

Valid for orders placed by 12 May 2026.



Magnetically fixed. Tidiness guaranteed.

Ideal for modern workstations, server setups,
and clean installations.



AVAILABLE WEEK 28


Magnetic Cat 8.1 F/FTP Patch Cable TI58-1L, TI58-1,5L, TI58-2L

- Cat 8.1 F/FTP
- Wiring according to EIA/TIA 568B
- 32 AWG / copper
- Jacket Ø 5 mm, silicone
- Lengths 1m, 1,5m, 2m
- Single-packaged in polybag

[more info](#)

Item No.	Cable length	EAN	Dimensions of polybag	Weight with polybag	MOQ	Quantity per master carton
TI 58-1 L	1 m	40 12386 42839 8	16 x 20 cm	0,082 kg	1	250
TI 58-1,5 L	1,5 m	40 12386 42840 4	16 x 20 cm	0,056 kg	1	150
TI 58-2 L	2 m	40 12386 42841 1	16 x 20 cm	0,109 kg	1	100

For setups
THAT JUST WORK



Quick and easy tool-free installation.



CAT 6A

AVAILABLE WEEK 28

Tool-less Connector for Network Cables
 Cat 6A UTP
 TI68QL

- Tool-less installation
- Cat 6A
- Cable O.D. max. 8,5 mm
- Bandwidth up to 500 MHz
- For all network cables with solid wires AWG 26-22 und stranded wires 26-22
- Single-packaged in polybag



with swivel
 angle adapter



AVAILABLE WEEK 28

Tool-less RJ45 Plug Cat 6A STP with
 Angle Adapter
 TI69QL

- Tool-less installation
- Cat 6A
- Cable O.D. max. 8,5 mm
- Bandwidth up to 500 MHz
- For all network cables with solid wires AWG 26-23 and stranded wires AWG 26-24
- Single-packaged in Polybag

more info

more info

Item No.	EAN	Dimensions of polybag	Weight with polybag	MOQ	Quantity per master carton
TI 68 QL	40 12386 42837 4	7 x 10 cm	0,01 kg	10	500
TI 69 QL	40 12386 42838 1	7 x 10 cm	0,01 kg	10	500

extra-thin cable
& compact plugs

Ideal for small patch panels and device connections



AVAILABLE WEEK 28


Thin U/UTP Patch Cable Cat 6A

TI57-0,5L, TI57-1L, TI57-1,5L, TI57-2L,
TI57-3L, TI57-5L

- Cat 6A U/UTP
- Western 8/8-plug (RJ45) - Western 8/8-plug (RJ45)
- 28 AWG / copper
- Jacket Ø 3,8 mm, LSZH
- Lengths 0,5m, 1m, 1,5m, 2m, 3m, 5m
- Single-packaged in polybag

[more info](#)

Ø 3,8mm



conventional plug



short plug

Item No.	Cable length	EAN	Dimensions of polybag	Weight with polybag	MOQ	Quantity per master carton
TI 57-0,5 L	0,5 m	40 12386 42831 2	13 x 16 cm	0,015 kg	10	500
TI 57-1 L	1 m	40 12386 42832 9	13 x 16 cm	0,029 kg	10	250
TI 57-1,5 L	1,5 m	40 12386 42833 6	13 x 16 cm	0,022 kg	10	300
TI 57-2 L	2 m	40 12386 42834 3	13 x 16 cm	0,037 kg	5	200
TI 57-3 L	3 m	40 12386 42835 0	14 x 17 cm	0,055 kg	5	150
TI 57-5 L	5 m	40 12386 42836 7	14 x 17 cm	0,084 kg	5	100